

HSF RoHS

Note:

Current Rating: 7A max.

Voltage Rating: 200 VAC.

Insulation Resistance:>1000 MΩ at 500VDC

Withstand Voltage:1500VAC for 1 minute

Contact Resistance: 10 mΩ MAX







Operation Temperature:-40°C to +125°C

Applicable Cable: AWG#20 to #22

Contact Material:Copper Alloy

Plating:Au over Ni







Insulator Material:PBT (UL94V-0) Black



				OPERATION		DRAW	Jelly Feng	22.11.15	SCALE	FIT	JILN ® 深圳市锦凌电子有限公司 SHENZHEN JINLING ELECTRONICS CO.,LTD Tel: 86-755-2997-5806/5802 Fax: 86-755-2997-5992		
				X.X	±0.30				UNIT	mm			
				X.XX	±0.20	CHECK	SIZE	A4	PART NO.	6312F-04SG2PA0X			
				X.XXX	±0.10		SHEET	1/1	TITLE:	SM-4芯伺服防水插头			
A0	2022.11.15	NEW DRAWING		Angle	±3°	APPROVE		PROJ.	☞				
REV	DATE	MODIFICATION DESCRIPTION		CHANGE	DIM	TOL							

HSF RoHS

NOTE:
Material:PA66 (UL94V-2) Black




OPERATION		DRAW	Jelly Feng	22.11.15	SCALE	FIT
X.X	±0.30					
X.XX	±0.20	CHECK			UNIT	mm
X.XXX	±0.10					
Angle	±3°	APPROVE			SIZE	A4
DIM	TOL					
					SHEET	1/1
					PROJ.	

JILN® 深圳市锦凌电子有限公司
SHENZHEN JINLING ELECTRONICS CO.,LTD
Tel: 86-755-2997-5806/5802 Fax: 86-755-2997-5992

A	A0	2022.11.15	NEW DRAWING			PART NO.	201.6312004MB401
	REV	DATE	MODIFICATION DESCRIPTION	CHANGE		TITLE:	SM-4芯 斜头外壳

HSF RoHS

NOTE:
Material:PBT (UL94V-0) Black



OPERATION

X.X	±0.30
X.XX	±0.20
X.XXX	±0.10
Angle	±3°
DIM	TOL

DRAW
CHECK
APPROVE

Jelly Feng 22.11.15

SCALE
UNIT
SIZE
SHEET
PROJ.

FIT
mm
A4
1/1
☛

JILN® 深圳市锦凌电子有限公司
SHENZHEN JINLING ELECTRONICS CO.,LTD
Tel: 86-755-2997-5806/5802 Fax: 86-755-2997-5992

PART NO. 201.6312004MA101

TITLE: SM-4芯主体

A


REV	DATE	MODIFICATION DESCRIPTION	CHANGE
A0	2022.11.15	NEW DRAWING	

A

1 2 3 4 5 6 7 8 9

HSF RoHS


NOTE:
Material: Phosphor Bronze



				OPERATION		DRAW	Jelly Feng	22.11.15	SCALE	FIT	JILN ® 深圳市锦凌电子有限公司 SHENZHEN JINLING ELECTRONICS CO.,LTD Tel: 86-755-2997-5806/5802 Fax: 86-755-2997-5992	
				X.X	±0.30				UNIT	mm		
				X.XX	±0.20	CHECK		SIZE	A4	PART NO. 202.6312F0102P01		
				X.XXX	±0.10		SHEET	1/1				
A0	2022.11.15	NEW DRAWING		Angle	±3°	APPROVE		PROJ.	◆	TITLE:	SM-4芯 母头端子	
REV	DATE	MODIFICATION DESCRIPTION	CHANGE	DIM	TOL							
1	2	3	4	5	6	7	8	9				

HSF RoHS



NOTE:
Material:PBT (UL94V-0)



				OPERATION		DRAW	Jelly Feng	22.11.15	SCALE	FIT	JILN ® 深圳市锦凌电子有限公司 SHENZHEN JINLING ELECTRONICS CO.,LTD Tel: 86-755-2997-5806/5802 Fax: 86-755-2997-5992	
				X.X	±0.30				UNIT	mm		
				X.XX	±0.20	CHECK		SIZE	A4	PART NO.		201.6312004MA201
				X.XXX	±0.10				SHEET	1/1	TITLE:	
A	REV	DATE	MODIFICATION DESCRIPTION	CHANGE	Angle	±3°	APPROVE		PROJ.	☯		
1					DIM	TOL						

HSF RoHS





Note:
Material: EPDM Black



				OPERATION		DRAW	Jelly Feng	22.11.15	SCALE	FIT	JILN ® 深圳市锦凌电子有限公司 SHENZHEN JINLING ELECTRONICS CO.,LTD Tel: 86-755-2997-5806/5802 Fax: 86-755-2997-5992	
				X.X	±0.30				UNIT	mm		
						CHECK			SIZE	A4	PART NO.	
				X.XX	±0.20		SHEET	1/1				
A0		2022.11.15	NEW DRAWING		Angle	±3°	APPROVE			TITLE: SM防水圈		
REV	DATE	MODIFICATION DESCRIPTION		CHANGE	DIM	TOL		PROJ.				
1	2	3	4	5	6	7	8	9				

HSF RoHS

NOTE:
Material:PBT (UL94V-0) Black



				OPERATION		DRAW	Jelly Feng	22.11.15	SCALE	FIT	JILN ® 深圳市锦凌电子有限公司 SHENZHEN JINLING ELECTRONICS CO.,LTD Tel: 86-755-2997-5806/5802 Fax: 86-755-2997-5992	
				X.X	±0.30				UNIT	mm		
				X.XX	±0.20	CHECK		SIZE	A4	PART NO.		201.6312000MA601
				X.XXX	±0.10		APPROVE		SHEET	1/1	TITLE:	
REV	DATE	MODIFICATION DESCRIPTION	CHANGE	DIM	TOL				PROJ.	☛		

A

A

1 2 3 4 5 6 7 8 9