







HSF RoHS

Note:
 Rated Current:9.5AMP
 Voltage Rating:600 VAC.
 Contact Resistance:20mΩ Max
 Withstand Voltage:600 V AC/1 minute
 Insulation Resistance:1000MΩ Min
 Operation Temperature:-40°C to +105°C







Wire Size(AWG): 26-22
 Contact Plating:Sn Over Ni
 Contact Material:Phosphor Bronze
 Insulator Material:PA66 (UL94V-2)




				OPERATION		DRAW	Jelly Feng	22.11.20	SCALE	FIT	JILN ® 深圳市锦凌电子有限公司 SHENZHEN JINLING ELECTRONICS CO.,LTD Tel: 86-755-2997-5806/5802 Fax: 86-755-2997-5992	
				X.X	±0.30							
				X.XX	±0.20	APPROVE	SIZE	A4	PART NO.	6351M-09SSNP001		
				X.XXX	±0.10		DIM	TOL	SHEET	1/1	TITLE:	9PIN伺服动力插头编码器外壳+母壳
REV	DATE	MODIFICATION	DESCRIPTION	CHANGE						PROJ.	☯	
1	2	3	4	5	6	7	8	9				

HSF RoHS

Note:
Material:PA66 (UL94V-2)









剖视图 A-A




					OPERATION	DRAW	Jelly Feng	22.11.20	SCALE	FIT	JILN ® 深圳市锦凌电子有限公司	
					X.X ±0.30	CHECK			UNIT	mm	SHENZHEN JINLING ELECTRONICS CO.,LTD	
					X.XX ±0.20				SIZE	A4	Tel: 86-755-2997-5806/5802 Fax: 86-755-2997-5992	
					X.XXX ±0.10				SHEET	1/1	PART NO.	201.6351009D010X
A	A0	2022.11.20	NEW DRAWING		Angle ±3°	APPROVE			PROJ.	1/1	TITLE:	FL4. 14母壳9P/PA66/
	REV	DATE	MODIFICATION DESCRIPTION	CHANGE	DIM TOL							

HSF RoHS

Note:
Shell Material:PBT (UL94V-0)





剖视图 A-A



M2.5*11.7螺丝*2 PCS



M2.5螺母*2 PCS



OPERATION		DRAW	Jelly Feng	22.11.20
X.X	± 0.30			
X.XX	± 0.20	CHECK		
X.XXX	± 0.10			
Angle	$\pm 3^\circ$	APPROVE		
DIM	TOL			

SCALE	FIT
UNIT	mm
SIZE	A4
SHEET	1/1
PROJ.	


JILN® 深圳市锦凌电子有限公司
SHENZHEN JINLING ELECTRONICS CO.,LTD
 Tel: 86-755-2997-5806/5802 Fax: 86-755-2997-5992

PART NO.	6351-09SB001
TITLE:	9PIN伺服动力插头编码器外壳带螺丝

A0	2022.11.20	NEW DRAWING	
REV	DATE	MODIFICATION DESCRIPTION	CHANGE

HSF RoHS

Note:
 Applicable wire: AWG#26-#22
 Material: Phosphor Bronze
 Plating: Sn Over Ni



				OPERATION		DRAW	Jelly Feng	22.11.20	SCALE	FIT	JILN ® 深圳市锦凌电子有限公司 SHENZHEN JINLING ELECTRONICS CO.,LTD Tel: 86-755-2997-5806/5802 Fax: 86-755-2997-5992	
				X.X	±0.30							
				X.XX	±0.20	APPROVE	SIZE	A4	PART NO.	202.6351M0920P01		
				X.XXX	±0.10		PROJ.	SHEET	1/1	TITLE:	FL伺服动力高脚公端/磷铜/亮锡	
REV	DATE	MODIFICATION DESCRIPTION	CHANGE	DIM	TOL							

A

A

1 2 3 4 5 6 7 8 9